Maintenance guide.



CITROËN DS

07.932 (1/74)

Service card.

To reduce your waiting time at the reception office we request you to present your service card.

Guarantee card.

The presentation of this card
and the counterfoil, with the
attestation of the official dealer who
carried out the 600 mile Inspection,
is required for any claims under
the quarantee.

anti-theft device

No of key for doors and boot N° of key for the ignition and

No of key for the glove compartment

This card must not be removed from the guide

Stamp of Selling Dealer

CITROËN

Extracts from the general condition of sale.

ART. VII — FREE 600 MILE INSPECTION* — After having covered the first 600 miles, the buyer must have his vehicle serviced. This service will be carried out, free of charge, in the workshops of the manufacturer or at one of its dealers or official agents, who may or may not be the seller.

This service is certified by an attestation attached to the guarantee card (see art. VIII) by the CITROEN dealer who has carried out the service.

ART, VIII – GUARANTEE – The vehicles are guaranteed by the manufacturer for a period of six months from the date of invoice.

A guarantee card is remitted to the buyer on delivery of the vehicle. This card made valid by the attestation of the dealer who carried out the 600 mile Service, is necessary for any claims under the guarantee.

The guarantee granted by the manufacturer, such as is defined below, distinctly limits his responsibility.

- 1º The guarantee includes, at the descretion of the manufacturer, the repair or exchange of parts which have been found to be faulty, and likewise the labour necessary for this repair or exchange.
- 2º The work to be carried out under the guarantee must be carried out by a member of the manufacturer's network.

- 30 The parts being claimed for under the guarantee must be sent back to the factory for inspection.
- 40 The exchange or repair of parts under guarantee will not in anyway prolong the duration of the guarantee.
- 5° The guarantee does not cover the cost of towing nor the costs due to the immobilisation of the vehicle. Neither does it cover the consequences of normal wear of the vehicle, nor the usual checks and adjustements.
- 60 The guarantee is refused and the manufacturer is freed from all responsibility
 - When parts fitted by the manufacturer have been replaced by parts of a different origin.
 - b) Where damage is due to negligence, incorrect use of the vehicle, overloading, even for a short time, or the inexperience of the driver.
- * This service is free of charge; only the cost of new oil necessary for :
 - changing the engine and gearbox oil
 - topping up the hydraulic system,

as well as the cost of a new engine-oil filter cartridge and its seal, will be charged to you.



Maintenance guide.

By following the recommendations contained in this maintenance guide and confiding your vehicle to a workshop in the CITROEN network, you are thus assured of the best quality at the most reasonable price.

At the indicated mileage, we invite you to go along to the CITROËN network who will perform all the operations provided for in this maintenance auide.

After the car has been handed over by your CITROËN dealer, consult your owner's manual.

You will find:

- all the characteristics of your car;
- precise indications on checking uses:
- recommendations for the use and maintenance.



Genuine replacement parts.

Only those genuine Replacement Parts sold by CITROEN NETWORK have been checked as rigorously as the parts used when assembling new vehicles.

Always ask for the genuine mark on all your invoices.

It is there for your safety.

If adaptable parts are used instead of the original ones you will have no assurance of quality, and will also run the risk of losing the benefit of the guarantee.

Additional documentation:

You can, if you wish:

- Consult our price-list.
- Obtain a replacement parts catalogue, as well as a repair manual for your vehicle from members of our network (but these are really meant for mechanics rather than customers).



Guarantee and the 600 mile inspection.

Your car has the benefit of the guarantee covering parts and labour for a period of six months, regardless of the mileage coverved.

The guarantee does not include the replacement of the parts which wear in normal use, such as tyres, brake linings and pads, electric bulbs, sparking plugs, contact-breaker points ...

On presentation of this guide, any service station of the CITROËN network will carry out an inspection of your vehicle when it has coverved approximately 600 miles (1.000 km).

The supply of oil and materials are not included in this free service, neither is the engine-oil filter cartridge and its seal.

This inspection is obligatory for retaining the right of the guarantee.



Citroën network all over the world.

IN FRANCE, there are 11 Regional Directions which comprises more than 5.000 Branches, Concessionnaires and Dealers, at your disposal.

THROUGHOUT THE WORLD, there are 22 Subsidiaries, and more than 4.000 Dealers and Service Stations, which are also at your

A brochure "FRANCE and EUROPE Network" lists the places where you can find a CITROËN Service in Europe.

You can obtain one of these brochures, and all the relevant information concerning the CITROËN network in the countries throughout the world where it is represented, at the following address:

Société des AUTOMOBILES CITROËN

SERVICES A LA CLIENTELE


194, rue de Lourmel 75747 PARIS CEDEX 15
FRANCE

Téléphone: 828-95-59 Télex: 27817 (CITROËN PARIS)

disposal.

Citroën network in your country.

You can obtain a list of the places where you can find a CITROËN Service - Station, also relevant information concerning the CITROËN "After - Sales" Service, from the address opposite.





Electronic controller.

So that you may continue to obtain the best output and maximum security of your vehicle, we are putting at your disposal our

ELECTRONIC CONTROL STATIONS.

You will find: a precise diagnostic, and a complete inspection of the mechanical, electrical, and optical installations, quickly and effectively.



Citroën prefer Total.

Engine oil: summer and winter:

TOTAL GTS 20W /50 or TOTAL altigrade GT 20W/40 Special Motorway

very cold countries:

TOTAL GTS 10W/30 or **TOTAL** altigrade **GT 10W/30** Special Motorway

Gearbox Oil:

points

Anti-freeze liquid:

Suspension fluid: Small articulating:

General greasing:

points

gearbox)

TOTAL MULTIS TOTAL ANTI-FREEZE

TOTAL ATF33

TOTAL LHM

TOTAL extreme pressure

SAE 80 (4 and 5 speed

(Borg Warner gearbox)

TOTAL small articulating

Lubricants and fuels.

We strongly advise against the use of all oil additives of any kind, either for the engine or gearbox, during and after the guarantee period.

All mixtures and experiments with fluids is forbidden; particularly the use of any type of oil additives, as this could lead you to serious trouble.

Checks.

Before starting out on a long journey,we advise you to carry out the controls in the pre-start check list on the back page of your owner's manual. YOUR SAFETY DEPENDS ON IT.

To obtain the best use from your vehicle, we request that you have the SERVICE operations carried out by a member of our CITROËN Network, in preference your dealer, at the mileages indicated. If the annual mileage is low the lubrication of the vehicle and draining of the engine should be carried out at least once a year.

Furthermore, we advise you to have your vehicle inspected every 6.000 miles or at least once a year by our ELECTRONIC CONTROL STATIONS. This diagnosis will allow for determing with your receiving dealer, the urgency, and necessity of any eventual interventions.

Nevertheless, we propose the WORKSHOP MAINTENANCE operations, which, if carried out at the periods indicated, guarantee the best validity for your vehicle.

Electronic Checks.

Operations recommended every 6.000 Mls (10.000 Km)

CHECK THE IGNITION AND CHARGING CIRCUIT.

CHECK THE FUEL SUPPLY SYSTEM.

CHECK THE FLECTRICAL INSTALLATIONS.


CHECK THE BRAKES.

CHECK THE TYRES. CHECK THE HEIGHT CLEARANCES.

CHECK THE FRONT AXLE ASSEMBLY.

LABOUR TIME FOR INVOICING

1½ hour



Preparation for the road.

Vehicle prepared in accordance

with the schedule defined by the

Stamp of the official dealer

Manufacturer.

DATE

Service 18000 miles

 $30000 \, \text{km}$

DEALE

DATE

1st ISSUE

COMM

LICENCE

PURCHA

DATE

MILEAG

CHASSIS

Date

11/4 h

1 h

3/4 h

1/2 h

Operations to be carried out.

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill

Renew oil filter cartridge

- GEARBOX: check level (s) top up if necessary, with suitable oil - DRIVE-SHAFTS: to be greased

ANTI-ROLL BARS: grease bearings and ball joints
 BATTERY: check level of electrolyte, top up if necessary

QUICK SERVICE: labour time for invoicing (local rate)

D - I.E. Hydraulic gear-change D - Hydraulic gear-change

D - I.E. Manual and Automatic gear-change D - Manual and Automatic gear-change

- ENGINE: air filter cartridge (instruction on air filter body) Blow oil cooler fins clean (compressed air) on DS I.E. vehicle Remove dust from water radiator fins (compressed air)

Check condition and tension of belts Adjust idling speed (on manual gear-change) Carry out basic adjustments (on hydraulic gear-change)

- HYDRAULIC CIRCUIT: clean reservoir filter (petrol)

COMM

LICENCE

PURCHASE

ADO

DATE

Service Service

 $35000 \, \text{km}$

MILEAGE

Date

Operations to be carried out.

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill

ATE

ILEAGE

amp of the OFFICIAL DEALER

R.O.

- DRIVE-SHAFTS: to be greased
- ANTI-ROLL BARS: grease bearings and ball joints
- BATTERY: check level of electrolyte, top up if necessary

24000

Stamp of the OFFICIAL DEALER

DATE

MILEAGE

Nº R.O.

Service Service 24000 miles

- ENGINE: air filter cartridge (instructions on air filter body)

Check condition and tension of belts Adjust idling speed (on manual gear-change) Carry out basic adjustments (on hydraulic gear-change)

- HYDRAULIC CIRCUIT: clean reservoir filter (petrol)

40000 km

DATE

1st ISSUE

CHASSIS

DATE

COMM

SYMBO

ADC

Operations to be carried out. SERVICE STATION: standard labour time at local rate - ENGINE: drain and refill Renew oil filter cartridge - GEARBOX: drain and refill with suitable oil - DRIVE-SHAFTS: to be greased ANTI-ROLL BARS: grease bearings and ball joints
 COMPRESSOR HORN: to be oiled - BATTERY: clean posts and oil felt washers Check level of electrolyte, top up if necessary QUICK SERVICE: labour time for invoicing: (local rate, materials used in addition): D - Hydraulic gear-change 2 ½ h D - Manual and Automatic gearchange 2 h

> Blow oil cooler fins clean (compressed air) on DSI.E. vehicle Remove dust from water radiator fins (compressed air)

> > Drain and refill with L.H.M. fluid

Service Service **27000** miles

45000 km

DATE MILEAGE

Stamp of the OFFICIAL DEALER

Nº R.O.

Operations to be carried out. Date

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill
- DRIVE-SHAFTS: to be greased
- ANTI-ROLL BARS: grease bearings and ball joints
- BATTERY: check level of electrolyte, top up if necessary

MILEAGE

COMM

ADD

Service Service

30000 30000 miles

50000 km

DATE

COMM

SYMBOL

DATE

ADC

DATE	
MILEAGE	
N° R.O.	

Stamp of the OFFICIAL DEALER

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill
- Renew oil filter cartridge - GEARBOX: check level (s) top up if necessary, with suitable oil
- DRIVE-SHAFTS: to be greased
- ANTI-ROLL BARS: grease bearings and ball joints - BATTERY: check level of electrolyte, top up if necessary

QUICK SERVICE: labour time for invoicing: (local rate)

- D Hydraulic gear-change D - I.É. Manual and Automatic gear-change 1 h D - Manual and Automatic gear-change
- ENGINE: air filter cartridge (instruction on air filter body) Blow oil cooler fins clean (compressed air) on DS I.E. vehicle
 - Remove dust from water radiator fins (compressed air) Check condition and tension of belts Adjust idling speed (on manual gear-change) Carry out basic adjustments (on hydraulic gear-change)
- HYDRAULIC CIRCUIT: clean reservoir filter (petrol) Check unions for leaks

Operations to be carried out. Date

11/4 h

Stamp of the OFFICIAL DEALER

bervice Service 33000 miles

55000 km

Date

DATE

õ

DEALER'S N

MILEAGE

COMM

LICENCE

읶

PURCHASE

ADC

DATE Operations to be carried out. MILEAGE Nº R.O.

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill
- DRIVE-SHAFTS: to be greased
- ANTI-ROLL BARS: grease bearings and ball joints
- BATTERY: check level of electrolyte, top up if necessary

Service Service

36000 36000 miles

60000 km

00000000

DATE MILEAGE Nº R.O.

Stamp of the OFFICIAL DEALER

Operations to be carried out. $$ De	ate
-------------------------------------	-----

SERVICE STATION: standard labour time at local rate

- ENGINE: drain and refill
- Renew oil filter cartridge - GEARBOX: drain and refill with suitable oil
- DRIVE-SHAFTS: to be greased
- ANTI-ROLL BARS: grease bearings and ball joints
 COMPRESSOR HORN: to be oiled
- BATTERY: clean posts and oil felt washers Check level of electrolyte, top up if necessary

QUICK SERVICE: labour time for invoicing (local rate)

D - Hydraulic gear-change

11/2 h D - I.E. Manual and Automatic gear-change 11/4 h D - Manual and Automatic gear-change

- ENGINE: air filter cartridge (instructions on air filter body) Blow oil cooler fins clean (compressed air) on DS I.E. vehicle Remove dust from water radiator fins (compressed air) Check condition and tension of belts

Adjust idling speed (on manual gear-change) Carry out basic adjustments (on hydraulic gear-change)

- HYDRAULIC CIRCUIT: clean reservoir filter (petrol)

DATE

1st ISSUE

COMM

SYMBOL

LICENCE

DATE

ADD

CHASSIS

읶 PURCHASE

SOCIATE AND NAME AUTOMOBILES CITROEN 117 167 OHALANDRE CITROEN 75747 HAUS CITROEN S. DO DADIC CARREST AND CARREST CARREST

CITROËN®DS